

MASTERTORK SCREWDRIVERS



EGAMaster offers a wide range of screwdrivers for professional use, among which you can find “Mastertork” and “Rotork” screwdrivers models. The “Mastertork” screwdriver type made in chromium-molybdenum-vanadium steel.

both in mm and inches



Magnetic tip

1. Oversized ergonomic, anti-slippery, bi-material (TPR + PP) handles offer optimal grip for avoiding slippage.

- A. TPR-BLACK MATT COLOR**
Antislippery material
- B. PP-ORANGE, RED RAL 2002 & YELLOW COLOR**
To provide consistency



2. Its exclusive chromium-molybdenum-vanadium alloy enables 30% higher tightening torque than traditional screwdrivers.

3. The innovative “non-slip” anti-slippery and magnetic tip system allows an easier and safer positioning of the screwdriver, avoiding undesired slides.



4. Type and size double marking of easy and efficient identification of the screwdriver to be used.



5. Model equipped with hexagonal bar for strong tightening with wrenches.



6. Go-through hole in the handle enables tommy bar using.



SLOTTED SCREWDRIVER TORQUE POWER TESTING TOOL



COD


64766

← L →
mm


140mm

SLOTTED

mm



DIN 5265




COD	A	B	*Nm	Ø1(mm)	L1	L2	L	Ø2(mm)		
66400	3	0,5	0,7	3	80		165	26	16	
66401	4	0,8	2,6	4	100	85	185	26	16	●
66402	5,5	1	5,5	5	125	105	205	34	8	1
66403							230			
66404	6,5	1,2	9,4	6	150	115	240	36	6	-
66405							265			
66406	8	1,6	11,5	7	200	130	280	40	6	-
66407							330			
66448	9,5	2	24	8	250		380			
66408	10	2	25,6	8	250		380			
66409	12	2,5	48	10	250		380			
66449	13	2,5	67,5	10	250		380			
66410	14	2,5	87,5	10	250		380			

*Minimum torque test (Nm) according to DIN 5265.

Inch.



DIN 5265




COD	A	B	*Nm	Ø1(mm)	L1	L2	L	Ø2(mm)		
55330	1/8"	0,02"	0,7	3	3"		165			
55331	5/32"	0,032"	2,6	4	4"	85	185	26	16	
55328	3/16"	0,04"	5,5	5	5"	105	205	34	8	1
55332	7/32"						230			
55333	1/4"	0,046"	9,4	6	6"	115	240	36	6	-
55334	5/16"						265			
55335	3/8"	0,063"	24	8	8"	130	280	40	6	-
55336	7/16"						330			
55337	15/32"	0,08"	48	10	10"	250	380	40	6	-
55338	1/2"						67,5			
55339	25/64"	0,08"	48	10	10"		380			
55329	7/16"	0,08"	48	10	10"		380			
55340	15/32"	0,098"	67,5	10	10"		380			
55341	1/2"	0,098"	67,5	10	10"		380			

*Minimum torque test (Nm) according to DIN 5265.

mm



DIN 5265




COD	A	B	HEX 1(mm)	HEX 2(mm)	L1	L2	L	Ø1(mm)		
66413	4	0,8	4	-	100	85	185	26	16	
66414	5,5	1	5	-	125	105	230	34	8	
66415	6,5	1,2	6	-	150	115	240	36	6	1
66416	8	1,6	8	11	200	130	280	40	6	
66417	10	2	10	16	250	250	380	40	6	
66418	12	2,5	12	16	250	250	380	40	6	
66419	14	2,5	14	16	250	250	380	40	6	

Inch.



DIN 5265




COD	A	B	HEX 1(mm)	HEX 2(mm)	L1	L2	L	Ø1(mm)		
55344	5/32"	0,032"	4	-	4"	85	185	26	16	
55345	7/32"	0,04"	5	-	5"	105	230	34	8	
55346	1/4"	0,046"	6	-	6"	115	240	36	6	1
55347	5/16"	0,063"	8	11	8"	130	280	40	6	
55348	25/64"	0,08"	10	16	10"	250	380	40	6	
55349	15/32"	0,08"	10	16	10"	250	380	40	6	

ELECTRICIAN

mm



DIN 5265




COD	A	B	Ø1(mm)	L1	L2	L	Ø2(mm)			
66420	2,5	0,4	2,5	75		160				
66421	3	0,5	3	60	85	145	26	16		●
66422				100		185				
66423				125		230				
66424	4	0,8	4	150		255				
66411				300	105	405	34	8	1	●
66425				150		255				
66412	5,5	1	5,5	300		405				●
66426	6,5	1,2	6,5	150	115	265	36			
66427	8		8	175	130	305	40	6		-

Inch.



DIN 5265




COD	A	B	Ø1(mm)	L1	L2	L	Ø2(mm)			
55352	3/32"	0,016"	2,5	3"		160				
55353				2"	85	145	26	16		●
55354	1/8"	0,02"	3	4"		185				
55355				5"		230				
55356	5/32"	0,032"	4	6"		255				
55357				12"	105	405	34	8	1	-
55358				6"		255				
55359	7/32"	0,04"	5,5	12"		405				●
55360	1/4"	0,046"	6,5	6"	115	265	36			
55361	5/16"		8	7"	130	305	40	6		-

ELECTRICIAN 1000V

mm



DIN 5265




COD	A	B	Ø1(mm)	Ø2(mm)	L1	L2	L	Ø3(mm)			
76620	2,5	0,4	4,4	6,1	75		160				
76621	3	0,5	4,4	6,1	100	85	185	26	16		●
76622	4	0,8	5,4	7			230				●
76623					125	105	230	34	8	1	●
76624	5,5	1	6,4	8,8			255				
76625					150		255				
76626	6,5	1,2	8,4	11		115	265	36			
76626	8		9,4	12,3	175		305				
76627	10	1,6	11,4	15	200	130	330	40	6		-

Inch.




DIN 5265




COD	A	B	Ø1(mm)	Ø2(mm)	L1	L2	L	Ø3(mm)			
75063	3/32"	0,016"	4,4	6,1	3"		160				
75064	1/8"	0,02"	4,4	6,1	4"	85	185	26	16		●
75065	5/32"	0,032"	5,4	7			230				
75066					5"	105	230	34	8	1	●
75067	7/32"	0,04"	6,4	8,8			255				
75068					6"		255				
75068	1/4"	0,046"	8,4	11		115	265	36			
75069	5/16"		9,4	12,3	7"		305				
75081	25/64"	0,063"	11,4	15	8"	130	330	40	6		-

PHILIPS




COD	+	Ø1(mm)	L1(mm)	L2(mm)	L(mm)	Ø2(mm)			
66438	PH-0	3	60	85	145	26	16		
66439			100		205				
66437	PH-1	5	300	105	405	34	8		
66440			125	115	240			1	
66443	PH-2	6	300		415	36			
66441	PH-3	8	150		280		6		
66442	PH-4	10	200	130	330	40			




COD	+	HEX 1(mm)	HEX 2(mm)	L1(mm)	L2(mm)	L(mm)	Ø1(mm)		
66444	PH-1	5	8	100	105	205	8	8	
66445	PH-2	6	11	125	115	240	11		1
66446	PH-3	8		150		280	6		
66447	PH-4	10	16	200	130	330	16		

PHILIPS 1000V




COD	+	Ø1(mm)	Ø2(mm)	L1(mm)	L2(mm)	L(mm)	Ø3(mm)		
76628	PH-0	4,4	5	60	85	145	26	16	
76738				80		185			
76629	PH-1	6,4	7,6	100	105	205	34	8	
76630	PH-2	7,4	9,6	125	115	240	36		1
76631	PH-3			150		280		6	
76632	PH-4	9,4	12,3	200	130	330	40		

SLOTTED-PHILIPS FOR TERMINAL SCREWS 1000V




COD	+	Ø1(mm)	Ø2(mm)	L1(mm)	L2(mm)	L(mm)	Ø3(mm)		
79163	PH-1	6,4	7,6	100	105	205	34	8	
79164	PH-2	7,4	9,6	125	115	240	36	6	1

POZIDRIV




COD	+	Ø1(mm)	L1(mm)	L2(mm)	L(mm)	Ø2(mm)			
66456	PZ-0	3	60	85	145	26	16		
66457			100		205				
66472	PZ-1	5	300	105	405	34	8		
66458			125	115	240			1	
66473	PZ-2	6	300		415	36			
66459	PZ-3	8	150		280		6		
66460	PZ-4	10	200	130	330	40			

POZIDRIV




COD		HEX 1(mm)	HEX 2(mm)	L ₁ (mm)	L ₂ (mm)	L(mm)	Ø1(mm)		
66462	PZ-1	5	8	100	105	205	34	8	
66463	PZ-2	6		125	115	240	36		1
66464	PZ-3	8	11	150		278		6	
66465	PZ-4	10	16	200	128	328	40		

POZIDRIV 1000V




COD		Ø1(mm)	Ø2(mm)	L ₁ (mm)	L ₂ (mm)	L(mm)	Ø3(mm)		
76633	PZ-0	4,4	5	60	85	145	26	16	
76634	PZ-1	6,4	7,6	100	105	205	34	8	
76635	PZ-2	7,4	9,6	125	115	240	36		1
76636	PZ-3	9,4	12,3	150	130	280	40	6	
76637	PZ-4			200		330			

SLOTTED-POZIDRIV FOR TERMINAL SCREWS 1000V



COD		Ø1(mm)	Ø2(mm)	L ₁ (mm)	L ₂ (mm)	L(mm)	Ø3(mm)		
79165	PZ-1	6,4	7,6	100	105	205	34	8	1
79166	PZ-2	7,4	9,6	125	115	240	36	6	

TORX




COD		Ø1(mm)	L ₁ (mm)	L ₂ (mm)	L(mm)	Ø2(mm)		
66474	T-6							
66475	T-7		50		135			
66476	T-8	3		85		26		
66477	T-9				160		16	
66478	T-10		75					
66479	T-15				180			1
66480	T-20	4				34		
66481	T-25		100	105	205			
66482	T-27	5		115		220	8	
66483	T-30	6		115	240	36		
66484	T-40	7		125		255		
66485	T-45	8	150	130	280	40	6	
66486	T-50	10		175		305		

TORX 1000V




DIN 5262




COD		Ø1(mm)	Ø2(mm)	L1(mm)	L2(mm)	L(mm)	Ø3(mm)			
76638	T-6		8	50		133				
76639	T-7		8							
76640	T-8	4,4			83		26			●
76641	T-9		5			158		16		
76642	T-10		5	75						
76643	T-15	5,8				180				
76644	T-20		8	100	105	205	34		1	●
76645	T-25	6,4								
76646	T-27		9,6	115		220		8		
76647	T-30	7,4			115	240	36			
76648	T-40	8,7		125		253				
76649	T-45	9,4	12,3	150	128	278	40	6		
76650	T-50	11,4	15	175		303				

TAMPER TORX



COD		Ø1(mm)	L1(mm)	L2(mm)	L(mm)	Ø2(mm)			
66487	TT-6								-
66488	TT-7		50		135				
66489	TT-8	3							●
66490	TT-9			85		26	16		
66491	TT-10		75		160			1	
66492	TT-15	4			185				
66493	TT-20		100						
66494	TT-25	5		105	205	34	8		
66495	TT-27		115		220				
66496	TT-30	6		115	240	36			
66497	TT-40	7		125	255				
66498	TT-45	8	150	130	280	40	6		
66499	TT-50	10	175		305				


TAMPER TORX 1000V



COD		Ø1(mm)	Ø2(mm)	L1(mm)	L2(mm)	L(mm)	Ø3(mm)		
75037	TT-6		8	50		135			
75038	TT-7		8						
75039	TT-8	4,4			85		26		
75040	TT-9		5			160		16	
75041	TT-10		5	75					
75042	TT-15	5,8				180			
75043	TT-20		8	100	105	205	34		1
75044	TT-25	6,4							
75045	TT-27		9,6	115		220		8	
75046	TT-30	7,4			115	240	36		
75047	TT-40	8,7		125		255			
75048	TT-45	9,4	12,3	150	128	280	40	6	
75049	TT-50	11,4	15	175		305			


BALL TIP

mm



COD	HEX 1(mm)	L ₁ (mm)	L ₂ (mm)	L(mm)	Ø1(mm)			
66501	2,5			160	26	16		
66502	3	75	85	160	26	16	1	●
66503	4	100		185				●
66504	5		105	205	34	8		
66505	6	125		230	36	8		
66506	8	150	130	280	40	6	-	
66507	10							


Inch.



COD	HEX 1	L ₁	L ₂ (mm)	L(mm)	Ø1(mm)			
55364	1/8"	3"	85	160	26	16	1	●
55365	5/32"			185				
55362	13/64"	4"	105	205	34	8		
55368	5/16"							
55369	25/64"	6"	130	280	40	6	-	


HEXAGONAL ALLEN 1000V

mm




COD	Ø1(mm)	Ø2(mm)	L ₁ (mm)	L ₂ (mm)	L(mm)	Ø3(mm)		
74710	2,5				160	26	16	
74711	3	4,4	6	75	85	160	26	16
74712	4	5,8	8	100		185		8
74713	5	6,4			105	205	34	
74714	6	7,8	11,2	125		230		6
74715	8	9,8	13,4	150	130	280	40	-

Inch.



COD	Ø1(mm)	Ø2(mm)	L ₁	L ₂ (mm)	L(mm)	Ø3(mm)		
75083	1/8"	4,4	6	3/32"	85	160	26	16
75084	5/32"	5,8		5/32"		185		8
75131	13/64"	6,4	8	13/64"	105	205	34	
75097	5/16"	9,8	13,4	5/16"	130	280	40	-


ROBERTSON



COD	Ø1(mm)	L ₁ (mm)	L ₂ (mm)	L(mm)	Ø2(mm)			
66530	1	2,4	4	100	85	185	26	16
66531	2	2,8	5	125	105	230	34	8
66532	3	3,4	6	150	115	265	36	6


STUBBY

mm





COD	A	B	Ø1(mm)	L1	L2	L	Ø2(mm)		
66525	5,5	1,2	5,5	25	60	85	40	20	1

Inch.




COD	A	B	Ø1(mm)	L1	L2	L	Ø2(mm)		
55371	7/32"	0,046"	5,5	1"	60	85	40	20	1



COD			Ø1(mm)	L1	L2	L	Ø2(mm)		
67192	PH-1	-	5	25	60	85	40	20	1
66526	PH-2	-	6						
67193	-	PZ-1	5	25	60	85	40	20	1
66527	-	PZ-2	6						


SOCKET SCREWDRIVER

mm



COD	Ø1(mm)	Ø2(mm)	L1	L2	L	Ø3(mm)					
66510	4	8	150	105	255	34	8	1			
66511	5	8,5									
66512	5,5	8,5	175	115	275	36	6				
66513	6	10									
66509	6,5	6	175	130	305	40			6		
66514	7	11									
66515	8	14	175	130	305	40				6	
66516	9	8									
66517	10	15	175	130	305	40					6
66518	11	17									
66519	12	9	175	130	305	40		6			
66520	13	19									
66521	14	20	175	130	305	40	6				
66521	14	20									


Inch.



COD	Ø1(mm)	Ø2(mm)	L1	L2	L	Ø3(mm)					
55373	5/32"	8	6"	105	255	34	8	1			
55374	3/16"	8,5									
55375	7/32"	8,5	7"	130	305	40	6				
55376	1/4"	10									
55377	9/32"	6	7"	130	305	40			6		
55378	5/16"	11									
55379	11/32"	8	7"	130	305	40				6	
55372	3/8"	14									
55380	25/64"	15	7"	130	305	40					6
55385	7/16"	20									
55382	15/32"	9	7"	130	305	40		6			
55383	1/2"	19									


SOCKET SCREWDRIVER 1000V

mm



COD	Ø1(mm)	Ø2(mm)	L1(mm)	L2(mm)	L(mm)	Ø3(mm)	Box	Bag
74698	4							
74699	5	11	7,5	150	105	255	34	8
74700	5,5							
74701	6							
74702	7	12,5	8,5	160	115	275	36	
74703	8							
74704	9	16	10,5					
74705	10							
74706	11			175	130	305	40	6
74707	12	19						
74708	13							
74709	14	21						

Inch.



COD	Ø1(mm)	Ø2(mm)	L1(mm)	L2(mm)	L(mm)	Ø3(mm)	Box	Bag
75132	5/32"							
74984	3/16"	11	7,5	6"	105	255	34	8
75133	7/32"							
74985	1/4"	12,5	8,5		115	275	36	
74986	5/16"							
74987	3/8"	16	10,5					
75136	25/64"				130	305	40	6
74988	7/16"	19						
75138	15/32"							
74989	1/2"	21						

mm



COD	Ø1(mm)	Ø2(mm)	L1(mm)	L2(mm)	L(mm)	Ø3(mm)	Box	Bag
74664	9							
74665	10							
74666	11							
74667	12	11	130		115	6		1
74669	14							
74670	17							

Inch.



COD	Ø1(mm)	Ø2(mm)	L1(mm)	L2(mm)	L(mm)	Ø3(mm)	Box	Bag
74671	3/16"							
74672	1/4"							
74673	5/16"							
74674	3/8"	11	5"		115	6		1
74675	7/16"							
74676	1/2"							
74677	9/16"							
74678	5/8"							

DISPLAYS AND SETS



1000V 4 pcs.

COD		pcs.	
C-74691	1	10	
		12	
		14	
		17	

COD		pcs.	
A-76675	1	PH0	
B-76676		PH1	
C-76677		PH2	
		PH3	

COD		pcs.	
A-76663	1	PZ0	
B-76664		PZ1	
C-76665		PZ2	
		PZ3	

5 pcs.

COD		pcs.	
A-69909	1	3x100	
B-69858		4x125	
C-68487		5,5x150	
	1	PH1	
		PH2	

COD		pcs.	
A-55506	1	2,5x75	
B-55507		3x100	
C-55508		4x125	
		5,5x150	
		8x175	

COD		pcs.	
B-55510	1	PH0	
C-55511		PH1	
		PH2	
		PH3	
		PH4	

COD		pcs.	
B-55513	1	PZ0	
C-55514		PZ1	
		PZ2	
		PZ3	
		PZ4	

1000V 5 pcs.

COD		pcs.	
A-76666	1	3x100	
B-76667		4x125	
C-76668		5,5x150	
		6,5x150	
		8x175	

COD		pcs.	
A-76909	1	3x100	
B-76910		4x125	
C-76911		5,5x125	
	1	PZ1	
		PZ2	

COD		pcs.	
B-76916	1	PH0	
C-76917		PH1	
		PH2	
		PH3	
		PH4	

6 pcs.

COD		pcs.	
A-69910	1	2,5x60	
B-69859		3x100	
C-68488		4x125	
		5,5x150	
		PH1	
	1	PH2	

COD		pcs.	
B-55501	1	3x80	
C-55502		4x100	
		5,5x125	
		6,5x150	
		8x200	
		10x200	

COD		pcs.	
A-55518	1	4x100	
B-55519		5,5x100	
C-55520		6,5x125	
	PZ1		
PZ2			
PZ3			

COD		pcs.		
A-55521	1	4x100		
B-55522		5,5x125		
C-55523		6,5x150		
		PH1		
		PH2		
PH3				

DISPLAYS AND SETS



1000V 6 PCS.

COD	pcs.	
A-76669	1	2,5x75
B-76670		3x100
C-76671		4x125
		5,5x150
		6,5x150
		8x175

COD	pcs.	
A-76900	1	3x100
B-76901		4x125
C-76902		5,5x150
		PH0
		PH1
		PH2

COD	pcs.	
A-76921	1	2,5x75
B-76922		3x100
C-76923		4x125
		5,5x125
		PH1
		PH2

COD	pcs.	
A-76927	1	3x100
B-76928		4x125
C-76929		6,5x150
		PH1
		PH2
		PH3

COD	pcs.	
A-76933	1	3x100
B-76934		4x125
C-76935		6,5x150
		PZ0
		PZ1
		PZ2

COD	pcs.	
A-76930	1	T8
B-76931		T9
C-76932		T10
		T15
		T20
		T25

COD	pcs.	
C-76926	1	6
		7
		8
		9
		10
		13

7 PCS.

COD	pcs.	
A-55524	1	T6
B-55525		T8
C-55526		T10
		T15
		T20
		T25
		T30

COD	pcs.	
A-55527	1	T10
B-55528		T15
C-55529		T20
		T25
		T27
		T30
		T40

1000V 7 PCS.

COD	pcs.	
C-76938	1	5
		5,5
		6
		7
		8
		10
		13

8 PCS.

COD	pcs.	
A-69911	1	3x100
B-69860		4x125
C-68489		5,5x125
		6,5x150
		PH0
		PH1
		PZ1
		PZ2

COD	pcs.	
B-55504	1	3x80
C-55505		4x100
		5,5x100
		5,5x125
		6,5x125
		8x150
		8x200
10x200		

DISPLAYS AND SETS



8 PCS.

COD pcs.

A-55515 B-55516 C-55517	1	3x80	
		4x100	
		5,5x125	
		6,5x150	
		PH0	
		PH1	
		PH2	
		PH3	

1000V 8 PCS.

COD pcs.

A-76672 B-76673 C-76674	1	3x100	
		4x125	
		5,5x150	
		6,5x150	
		PH1	
		PH2	
		PZ1	
		PZ2	

COD pcs.

A-76918 B-76919 C-76920	1	2,5x75	
		4x125	
		5,5x125	
		6,5x150	
		PH0	
		PH1	
		PH2	
		PH3	

COD pcs.

A-76939 B-76940 C-76941	1	2,5x75	
		3x100	
		4x125	
		6,5x150	
		PH0	
		PH1	
		PH2	
		PH3	

COD pcs.

A-76906 B-76907 C-76908	1	2,5x75	
		3x100	
		4x125	
		5,5x125	
		6,5x150	
		PZ0	
		PZ1	
		PZ2	

COD pcs.

A-76903 B-76904 C-76905	1	3x100	
		4x125	
		5,5x150	
		6,5x150	
		PH1	
		PH2	
		PZ1	
		PZ2	

COD pcs.

A-76912 B-76913 C-76914	1	PH0	
		PH1	
		PH2	
		PH3	
		PZ0	
		PZ1	
		PZ2	
		PZ3	

10 PCS.

COD pcs.

D-55991	1	3x80	
		4x100	
		5,5x100	
		6,5x125	
		8x150	
		8x200	
		10x200	
		12x250	
		13x250	
		14x250	


COD pcs.

D-55992	1	1/8"x3"	
		5/32"x4"	
		7/32"x4"	
		1/4"x5"	
		5/16"x6"	
		3/8"x8"	
		25/64"x8"	
		15/32"x10"	
		1/2"x10"	
		9/16"x10"	

DISPLAYS AND SETS


11 PCS.

COD pcs.


D-56029	1	5/32"	
		3/16"	
		7/32"	
		1/4"	
		9/32"	
		5/16"	
		11/32"	
		25/64"	
		15/32"	
		1/2"	
		9/16"	

12 PCS.

COD pcs.

D-55996	1	TT7	
		TT8	
		TT9	
		TT10	
		TT15	
		TT20	
		TT25	
		TT27	
		TT30	
		TT40	
		TT45	
		TT50	

COD pcs.


D-55997	1	4	
		5	
		5,5	
		6	
		7	
		8	
		9	
		10	
		11	
		12	
		13	
		14	

D




1000V 12 PCS.


COD pcs.

D-79466	1	TT7	
		TT8	
		TT9	
		TT10	
		TT15	
		TT20	
		TT25	
		TT27	
		TT30	
		TT40	
		TT45	
		TT50	

COD pcs.

D-79467	1	4	
		5	
		5,5	
		6	
		7	
		8	
		9	
		10	
		11	
		12	
		13	
		14	

COD pcs.

D-79468	1	5/32"	
		3/16"	
		7/32"	
		1/4"	
		9/32"	
		5/16"	
		3/8"	
		25/64"	
		7/16"	
		15/32"	
		1/2"	
9/16"			

DISPLAYS AND SETS

D



13 PCS.

COD pcs.

D-56028	1	T6	
		T7	
		T8	
		T9	
		T10	
		T15	
		T20	
		T25	
		T27	
		T30	
		T40	
		T45	
		T50	

1000V 13 PCS.

COD pcs.

D-79465	1	T6	
		T7	
		T8	
		T9	
		T10	
		T15	
		T20	
		T25	
		T27	
		T30	
		T40	
		T45	
		T50	



150 PCS.

COD pcs.

66540	10	5,5x100	
		6,5x125	
		8x150	
		3x60	
		3x100	
		4x125	
		5,5x150	
		6,5x150	
		3x100	
		PH0	
		PH1	
		PH2	
		PZ0	
PZ1			
PZ2			



56 PCS.

COD pcs.

66541	6	5,5x100	
		6,5x125	
		8x150	
		4x125	
		5,5x150	
		4x125	
		PH1	
		5 PH2	
		6 PZ1	
		5 PZ2	